



---

## SECTION 1: Identification

### 1.1 Product identifier

Product name 1000 Plus, 1500Plus, 2500Plus  
Product number 4219, 4203, 4204

### 1.4 Supplier's details

Name Ardex Labs.  
Address 2050 Byberry Rd  
Philadelphia, PA 19116  
United States of America

Telephone 2156980500  
email info@ardexlabs.com

### 1.5 Emergency phone number(s)

800-424-9300  
CHEMTREC – TOLL FREE 24 HOUR EMERGENCY TELEPHONE  
NUMBER

---

## SECTION 2: Hazard identification

### 2.1 Classification of the substance or mixture

**GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)**

- Flammable liquids (chapter 2.6), Cat. 4
- Skin corrosion/irritation (chapter 3.2), Cat. 3

### 2.2 GHS label elements, including precautionary statements

**Signal word**

**Warning**

**Hazard statement(s)**

H227  
H316

Combustible liquid  
Causes mild skin irritation

**Precautionary statement(s)**

P210

Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P332+P313

If skin irritation occurs: Get medical advice/attention.

P370+P378

In case of fire: Use foam/CO2 to extinguish.

P403+P235

Store in a well ventilated place. Keep cool.

P501

Dispose of contents/container to local, state, and federal regulations



## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

Component	Concentration
<b>Distillates (petroleum), hydrotreated light (CAS no.: 64742-47-8)</b>	<b>&lt; 40 % (Weight)</b>
CLASSIFICATIONS: Flammable liquids (chapter 2.6), Cat. 4; Aspiration hazard (chapter 3.10), Cat. 1. HAZARDS: No data available.	
<b>Aluminum oxide (Powder or Fiber) (CAS no.: 1344-28-1)</b>	<b>&lt; 20 % (Weight)</b>
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
<b>GLYCEROL (CAS no.: 56-81-5)</b>	<b>&lt; 20 % (Weight)</b>
CLASSIFICATIONS: No data available. HAZARDS: No data available.	
<b>Distillates (petroleum), solvent-dewaxed light paraffinic (CAS no.: 64742-56-9)</b>	<b>&lt; 10 %</b>
CLASSIFICATIONS: Aspiration hazard (chapter 3.10), Cat. 1. HAZARDS: No data available.	

#### Trade secret statement (OSHA 1910.1200(i))

The specific chemical identities of the ingredients in this mixture are considered to be trade secrets and are withheld in accordance with the provisions of 1910.1200 of the code of federal regulations

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

General advice	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).
If inhaled	Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
In case of skin contact	Remove contaminated clothing. Drench affected area with water or soap and water for at least 15 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.
In case of eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.
If swallowed	Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor/physician.
Personal protective equipment for first-aid responders	See Section 8 for exposure and PPE recommendations

### 4.2 Most important symptoms/effects, acute and delayed

General: Causes skin irritation.

Inhalation: May cause respiratory irritation.

Skin Contact: Causes skin irritation. Symptoms may include: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Eye Contact: May cause eye irritation.

Ingestion: May be harmful if ingested in large quantities.



Chronic Symptoms: None expected under normal conditions of use.

---

## **SECTION 5: Fire-fighting measures**

### **5.1 Suitable extinguishing media**

Suitable Extinguishing Media: Dry chemical, carbon dioxide, foam, water spray.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### **5.2 Specific hazards arising from the chemical**

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

### **5.3 Special protective actions for fire-fighters**

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO<sub>2</sub>).

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Avoid all contact with skin, eyes, or clothing. Avoid breathing (vapor, mist, spray).

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

### **6.2 Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### **6.3 Methods and materials for containment and cleaning up**

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

### **Reference to other sections**

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

**7.2 Conditions for safe storage, including any incompatibilities**

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

**Specific end use(s)**

Paint correction and protection.

---

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****CAS: 1344-28-1**

alpha-Alumina

Cal/OSHA: see PNOR PEL inhalation; NIOSH: See Appendix D REL inhalation

alpha-Alumina, Respirable fraction

Cal/OSHA: 5 mg/m<sup>3</sup> PEL inhalation; OSHA: 5 mg/m<sup>3</sup> PEL inhalation

alpha-Alumina, Total dust

Cal/OSHA: 10 mg/m<sup>3</sup> PEL inhalation; OSHA: 15 mg/m<sup>3</sup> PEL inhalation

**CAS: 56-81-5**

Glycerin (mist)

Cal/OSHA: PNOR PEL inhalation; NIOSH: See Appendix D REL inhalation

Glycerin (mist), Respirable fraction

Cal/OSHA: 5 mg/m<sup>3</sup>, PNOR PEL inhalation; OSHA: 5 mg/m<sup>3</sup> PEL inhalation

Glycerin (mist), Total dust

Cal/OSHA: 10 mg/m<sup>3</sup>, PNOR PEL inhalation; OSHA: 15 mg/m<sup>3</sup> PEL inhalation

**CAS: 64742-56-9**

Distillates (petroleum), solvent-dewaxed light paraffinic

IUCLID: 5mg/m<sup>3</sup>

**8.2 Appropriate engineering controls**

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

**8.3 Individual protection measures, such as personal protective equipment (PPE)****Pictograms****Eye/face protection**



Chemical goggles or safety glasses.

**Skin protection**

Wear suitable protective clothing.

**Body protection**

Chemically resistant materials and fabrics.

**Respiratory protection**

If exposure limits are not known or are exceeded or irritation is experienced, approved respiratory protection should be worn.

**Thermal hazards**

No data available.

**Environmental exposure controls**

Do not allow the product to be released into the environment.

---

**SECTION 9: Physical and chemical properties**

**Information on basic physical and chemical properties**

Appearance/form (physical state, color, etc.)	Thick Liquid [COLOR]
Odor	Hydrocarbon-Fruity odor
Odor threshold	No data available.
pH	No data available.
Melting point/freezing point	18 °F (-7.78 °C)
Initial boiling point and boiling range	210 - 212 °F (98.9 - 100 °C)
Flash point	176°F ASTM D93- Procedure B (Pensky Marten closed cup)
Evaporation rate	No data available.
Flammability (solid, gas)	No data available.
Upper/lower flammability limits	No data available.
Vapor pressure	No data available.
Vapor density	No data available.
Relative density	1.00 - 1.45
Solubility(ies)	Dispersible
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	14000 cP
Explosive properties	No data available.
Oxidizing properties	No data available.

---

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

Hazardous reactions will not occur under normal conditions

**10.2 Chemical stability**



Stable under recommended handling and storage conditions (see section 7).

**10.3 Possibility of hazardous reactions**

Hazardous polymerization will not occur.

**10.4 Conditions to avoid**

Direct sunlight. Extremely high or low temperatures. Incompatible materials

**10.5 Incompatible materials**

Strong acids. Strong bases. Strong oxidizers.

**10.6 Hazardous decomposition products**

Carbon oxides (CO, CO<sub>2</sub>).

---

**SECTION 11: Toxicological information**

**Information on toxicological effects**

**Acute toxicity**

-----

Distillates (petroleum), hydrotreated light: Acute dermal toxicity

LD50 rabbit: 2,000 - 4,000 mg/kg

Acute inhalation toxicity

LC50 rat (4 hours): > 6.8 mg/l

All rats survived at indicated concentration.

Acute oral toxicity

LD50 rat: > 5,000 mg/kg

**Skin corrosion/irritation**

-----

Distillates (petroleum), hydrotreated light: Skin corrosion/irritation

Primary irritation (rabbit): 2.2 (Max. score is 8.0.)

-----

Distillates (petroleum), solvent-dewaxed light paraffinic: 64742-56-9 Distillates, petroleum, solvent-dewaxed light paraffinic LC50 5000mg/L Oncorhynchus

mykiss

96h IUCLID

**Serious eye damage/irritation**

-----

Distillates (petroleum), hydrotreated light: Eye damage/irritation

Primary irritation (rabbit): 3.3 (Max. score is 110.)

**Respiratory or skin sensitization**

-----



Distillates (petroleum), hydrotreated light: No data available.

**Germ cell mutagenicity**

-----

Distillates (petroleum), hydrotreated light: No data available.

**Carcinogenicity**

-----

Distillates (petroleum), hydrotreated light: Contains no ingredient listed as a carcinogen

**Reproductive toxicity**

-----

Distillates (petroleum), hydrotreated light: No data available.

**Summary of evaluation of the CMR properties**

-----

Distillates (petroleum), hydrotreated light: No data available.

**STOT-single exposure**

-----

Distillates (petroleum), hydrotreated light: No data available.

**STOT-repeated exposure**

-----

Distillates (petroleum), hydrotreated light: No data available.

**Aspiration hazard**

-----

Distillates (petroleum), hydrotreated light: No data available.

---

**SECTION 12: Ecological information**

**Toxicity**

-----

Distillates (petroleum), hydrotreated light: Not toxic to aquatic organisms (fish, daphnia, algae) up to water solubility.

-----

Distillates (petroleum), solvent-dewaxed light paraffinic: 64742-56-9 Distillates, petroleum, solvent-dewaxed light paraffinic EC50 1000mg/L 48h Daphnia magna IUCLID

**Persistence and degradability**



-----

Distillates (petroleum), hydrotreated light: Biodegradation  
Readily biodegradable.  
OECD Test Guideline 301F (28 d): 85 %  
Test substance: LPA® 170 Solvent

**Bioaccumulative potential**

-----

Distillates (petroleum), hydrotreated light: No data available.

**Mobility in soil**

-----

Distillates (petroleum), hydrotreated light: No data available.

**Results of PBT and vPvB assessment**

-----

Distillates (petroleum), hydrotreated light: No data available.

**Other adverse effects**

-----

Distillates (petroleum), hydrotreated light: No data available.

---

**SECTION 13: Disposal considerations**

**Disposal of the product**

Sewage Disposal Recommendations: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

**Disposal of contaminated packaging**

Dispose of as unused product.

**Waste treatment**

Dispose of only in accordance with local, state, and federal regulations.

**Sewage disposal**

Do not dispose of product in sewers.

**Other disposal recommendations**

No data available.

---

**SECTION 14: Transport information**

**DOT (US)**

Not dangerous goods





**IMDG**

Not dangerous goods

**IATA**

Not dangerous goods

---

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations specific for the product in question**

**Toxic Substances Control Act (TSCA) Inventory**

Distillates, petroleum, hydrotreated light: CAS: 64742-47-8

Chemical name: 1,2,3-Propanetriol

CAS number: 56-81-5

**SARA 311/312 Hazards**

Fire Hazard; immediate acute health hazard: Distillates, petroleum, hydrotreated light: CAS: 64742-47-8

**Massachusetts Right To Know Components**

Chemical name: Aluminum oxide (fibrous forms)

CAS number: 1344-28-1

**New Jersey Right To Know Components**

Common name: ALUMINUM OXIDE

CAS number: 1344-28-1

Common name: GLYCERIN

CAS number: 56-81-5

**Pennsylvania Right To Know Components**

Chemical name: Aluminum oxide

CAS number: 1344-28-1

Chemical name: 1,2,3-Propanetriol

CAS number: 56-81-5

**New regulation**

Minnesota Haz Subs:

Chemical name: 1,2,3-Propanetriol

CAS number: 56-81-5

**Massachusetts Right To Know Components**

Distillates (petroleum), solvent-dewaxed light paraffinic 64742-56-9

---

**SECTION 16: Other information**

Revision Date:

05/17/2017

Other Information:

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.



# 1000 Plus, 1500Plus, 2500Plus

## SAFETY DATA SHEET

Party Responsible for the Preparation of This Document

Ardex Laboratories, Inc. 2050 Byberry rd Philadelphia, PA 19116 T: 215-698-0500 [ardexlabs.com](http://ardexlabs.com)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

North America GHS US 2012